


VACCUM LIFTER AVL500 مواصفات اجهزة حمل الزجاج - الرخام - الواح الحديد




- Designed for lifting, moving, installing large-size glass.
- Superior vacuum lifter will satisfies customers' requirements.
- It is able to rotate right/left and incline vertical up to 90 degrees.

Model	AVL500
Work load limit	1100 lbs (500 kg)
Net weight	130 lbs (59 kg)
Diameter of suction cup	11 7/8" (300 mm)
Number of suction cups	4 pcs
Minimum glass dimension	29 1/2 x 33 1/2 " (750 mm x 850 mm)
Rotated angle	Left: 90°, Right: 90°
Inclined angle	90°
Voltage	220 V, 1 phase

السعر ٢٥٢٥٠ ريال سعودي Price 25250 SR

متخصصة لشركات المقاولات وشركات تركيب الزجاج لواجهات المباني والرخام والواح الحديد

VACCUM LIFTER AVL480



- Designed for lifting, moving, installing large-size glass.
- Superior vacuum lifter will satisfies customers' requirements.
- It is able to rotate right/left and incline vertical up to 90 degrees.

Model	AVL480
Work load limit	1058 lbs (480 kg)
Net weight	150 lbs (68 kg)
Diameter of suction cup	10" (250 mm)
Number of suction cups	6 pcs
Minimum glass dimension	68 ⁷ / ₈ " x 37 ¹ / ₂ " (1750 mm x 950 mm)
Rotated angle	Left: 90°, Right: 90°
Inclined angle	90°
Voltage	220 V, 1 phase

السعر ٢٣٧٠٠ ريال سعودي Price 23700 SR

متوفرة بعدة مقاسات وقدرات حمل متفاوتة الحل الأفضل لرفع الألواح الثقيلة ونقلها

Vacuum lifter

Handling equipment

- Special design for Handling difference kind of heavy plate, such as steel, glass, granite, marble and so forth, with vacuum suction caps.

Vacuum Robot

- The vacuum suction is designed with automatic pressure control double routes to avoid system failure.
- Ideal for loading & unloading transporting, rotating and installation.
- Easy for operation, with the following functions:
 - Self-propelled drive.
 - Electric lift up to 1.5M
 - Higher lift cap. is available upon request.
 - Electric side shift 100mm both right & left.
 - Electric tilting forwards & backwards from vertical to horizontal or reverse.
 - Manual rotating.

Specification

Spec \ Mode	WS-GR-40/15	WS-GR-60/15	WS-GR-80/15
Max. Load Cap.	400kgs	600kgs	800kgs
Safe Load Cap.	200kgs	300kgs	400kgs
Lift H.	1500mm	1500mm	1500mm
QNTY of Caps	4	6	8
Cap Diameter	Ø300mm	Ø300mm	Ø300mm
Max. Plate Size	2440x1830mm	2440x1830mm	3660x2440mm
Drive Motor	24V/500W	24V/700W	24V/1000W
Hydraulic Motor	24V/2000W	24V/2000W	24V/2000W
Battery	2x12V/55A	2x12V/70A	2x12V/100A
Charger	24V/10A	24V/10A	24V/15A



السعر ٢٧٥٠٠ ريال سعودي Price 27500 SR